

Endless Love  To Guard The New Life Safe



# XHZ-90P

NEONATE BILIRUBIN  
PHOTOTHERAPY EQUIPMENT

Stock code [300314]

  
DAVID

## Brief Introduction

- Blue LED as major light source and mixed with yellow LED to soften the irradiate light;
- Intensive phototherapy equipment, large effective treatment area, meets AAP Guidelines for intensive phototherapy;
- The irradiation intensity can be adjusted into high or low two different levels;
- Angle of lamp module can be adjusted;
- Radiant light equipped with fan cooling system which ensure a low thermal radiation;
- Optional for infant incubator and infant radiant warmer;
- Vertical height and horizontal position of lamp module can be adjusted;
- With the timer and lockable wheels.



## Standard Configuration

Lamp module and mobile stand

## Operating request

Temperature range: 15°C~35°C

Relative humidity: 30%~75%RH

Atmospheric pressure: 700hPa ~ 1060hPa

## Specification

Power supply: AC220V~230V/50Hz or AC110~120V/50~60Hz, 75VA

Light source: Blue and yellow LED

Dominant wavelength range of blue light: 420~470nm

Dominant wavelength range of yellow light: 580~595nm

Effective surface area: 50cm × 25cm

Life time of LED: 20000hrs

General bilirubin radiation of the effective surface area (Irradiation distance 30cm):

High irradiance mode:  $\geq 3.6$  mW/cm<sup>2</sup>

Low irradiance mode:  $\geq 2$  mW/cm<sup>2</sup>

Uniformity of the total irradiance for bilirubin:  $> 0.4$

Adjustable range for the height of lamp module: 1350mm~1680mm

Radiation angle of the phototherapy lamp adjustable: 0~90° up from horizontal and can be locked

Built-in timer range: 0~99999.9 hrs

Working noise:  $\leq 50$ dB(A)

## Product Packaging

Package: the whole unit is packed into one carton

Size: 1375 mm × 685 mm × 2230 mm

Gross Weight: 23 Kg



Ningbo David Medical Device Co., Ltd

r r

2